

University of California Integrated Pest Management Insect Update #18
Tehama County 7/16/12

| INSECT | FIRST BIOFIX | SECOND BIOFIX | THIRD BIOFIX | FOURTH BIOFIX | ACTIVITY MOTHS/DAY | AVG. DEG. DAYS/DAY | DAY DEGREES FROM BIOFIX |
|---------------------|--------------|---------------|--------------|---------------|--------------------|--------------------|-------------------------|
| CODLING MOTH | 4/19 | 6/27 | - | - | 1.4 | 26.0 | 498 |
| ORIENTAL FRUIT MOTH | 2/23 | 5/11 | 6/25 | - | 2.3 | 31.3 | 645 |
| PEACH TWIG BORER | 4/23 | 7/2 | - | - | 13.6 | 26.0 | 379 |
| NAVEL ORANGE WORM | 5/3 | - | - | - | .13 | 21.3 | 1265 |
| SAN JOSE SCALE | 4/16 | - | - | - | - | 23.7 | 1666 |

Codling moth DD is at 498 following the 6/27second biofix. Not much exciting there.

NOW is at 1265 DD following the 5/3 biofix. We found 2 eggs on 7/16 suggesting the start of egg laying. Trap data on Thursday will confirm the second biofix.

Walnut husk fly catches have been erratic and no eggs yet in the females so we continue to count traps twice per week and watch carefully for females with eggs.

Additional Pest management information is available at the UC IPM website including a day degree calculator. <http://www.ipm.ucdavis.edu>.

Richard P. Buchner and Cyndi K. Gilles
Orchard Advisor & Research Associate
UC Cooperative Extension Tehama County
(530) 527-3101