

The New California Landscape

Maintaining Landscapes for Low Water Use

Loren Oki

Landscape Horticulture Specialist
Dept. of Plant Sciences, UC Davis

Stockton, CA
September 3, 2015




Topics

- Why plants need water
- Irrigation management
 - Assessing system performance
 - Scheduling
 - Smart controllers
- Maintaining plants
 - Turf
 - Trees and shrubs
 - Edibles
- Fire Safe

Topics

- Why plants need water



Soil-Plant- Atmosphere continuum

Why do plants
need water?
How does water
move from the
soil, up a plant,
and into the air?

The concept of water potential

Water moves down
an energy gradient

Potential energy
components of water
in substrates

- Matric potential
- Gravimetric potential
- Solute potential




The concept of


Water moves down
an energy gradient

Potential energy
components of water
in substrates

- Matric potential
- Gravimetric potential
- Solute potential



Plant Water Relations



CO₂ is necessary for photosynthesis
Water is lost as CO₂ is taken into the leaves

Topics

- Why plants need water
- Irrigation management
 - Assessing system performance

The Need To Measure

“I often say that when you can measure what you are speaking about, and express it in numbers, you know something about it; but when you cannot express it in numbers, your knowledge is of a meager and unsatisfactory kind.”

Lord Kelvin

“If it can't be expressed in figures, it is not science; it is opinion.”

Robert Heinlein

Conducting An Irrigation Audit

1. Inspect the site
2. Tune up the irrigation system
3. Test the system (collect data)
4. Calculate performance
5. Interpret the information

Credit: Irrigation Association
Landscape Irrigation Auditor
certification program

Conducting An Irrigation Audit

- Tune up the irrigation system
 - Repair, replace, update
- Rebates
 - Rotary stream sprinklers, drip systems, smart controllers, conversions
 - www.ccuu.ucdavis.edu/public/drought/map

Topics

- Why plants need water
- Irrigation management
 - Assessing system performance
 - Scheduling
 - 3 methods

Developing An Irrigation Schedule

- Things you need to know
 - Distribution uniformity
 - Precipitation rate
 - Soil texture
 - Landscape and plant coefficients (K_L)
 - Climate (ET_0)

Developing An Irrigation Schedule

- Things you need to know
 - Distribution uniformity
 - How evenly water is applied
 - Applies to overhead and drip
 - Catch can test



Developing An Irrigation Schedule

- Things you need to know
 - Distribution uniformity
 - Catch can test
 - Calculate average volume collected (Avg_T)
 - Sort the volumes
 - Calculate the average of the lowest $\frac{1}{4}$ (Avg_{LQ})
 - $DU = Avg_{LQ} \div Avg_T$
 - Should be AT LEAST 0.7
 - If less than 0.7, repairs or modifications are needed

Developing An Irrigation Schedule

- Things you need to know
 - Distribution uniformity
 - Precipitation rate

Developing An Irrigation Schedule

- Things you need to know
 - Distribution uniformity
 - Precipitation rate
 - How fast water is applied

$$PR = \frac{Avg_T}{C \times T} \times 3.66$$

Avg_T = Average of all catch can volumes (mL)

C = Throat area of catch can (sq. in.)


T = Run time (min.)

Developing An Irrigation Schedule


- Things you need to know
 - Distribution uniformity
 - Precipitation rate
 - Soil texture
 - Plant available water

Soil Texture Affects Soil Moisture

Water Holding Capacity




Permeability



Sandy: Apply small amounts frequently

Clay: Apply larger amounts slowly, less often

Soil Texture and Irrigation



Soil Texture

	Soil Texture	Plant Avail Water (cm/cm)*
Coarse	sand / fine sand	0.05
	loamy sand	0.07
Moderately Coarse	sandy loam	0.11
Medium	loam	0.16
	silty loam	0.2
	silt	0.2
Moderately Fine	sandy clay loam	0.15
	clay loam	0.16
	silty clay loam	0.18
Fine	sandy clay	0.12
	silty clay	0.14
	clay	0.15

*Irrigation Association Landscape Irrigation Auditor Manual page 177

**assume 50% dry down (managed allowable depletion) and 12 inch wetted depth

Soil Texture

	Soil Texture	Plant Avail Water (cm/cm)*	Irrig to Wet to Depth (in)**
Coarse	sand / fine sand	0.05	0.3
	loamy sand	0.07	0.42
Moderately Coarse	sandy loam	0.11	0.66
Medium	loam	0.16	0.96
	silty loam	0.2	1.2
	silt	0.2	1.2
Moderately Fine	sandy clay loam	0.15	0.9
	clay loam	0.16	0.96
	silty clay loam	0.18	1.08
Fine	sandy clay	0.12	0.72
	silty clay	0.14	0.84
	clay	0.15	0.9

*Irrigation Association Landscape Irrigation Auditor Manual page 177

**assume 50% dry down (managed allowable depletion) and 12 inch wetted depth

Soil Texture

	Soil Texture	Plant Avail Water (cm/cm)*	Irrig to Wet to Depth (in)**
Coarse	sand / fine sand	0.05	0.3
	loamy sand	0.07	0.42
Moderately Coarse	sandy loam	0.11	0.66
Medium	loam	0.16	0.96
	silty loam	0.2	1.2
	silt	0.2	1.2

Irrig to wet to depth = 12" × 0.2 × 50% = 1.2"

Desired depth to wet = 12"

Plant avail water = 0.2, so 12" × 0.2 = 2.4"

Assume 50% dry down (1/2 of the water is used), then 1.2"

*Irrigation Association Landscape Irrigation Auditor Manual page 177

**assume 50% dry down (managed allowable depletion) and 12 inch wetted depth

Soil Texture

	Soil Texture	Plant Avail Water (cm/cm)*	Irrig to Wet to Depth (in)**	Infiltration Rate (in/hr)
Coarse	sand / fine sand	0.05	0.3	1.5
	loamy sand	0.07	0.42	1
Moderately Coarse	sandy loam	0.11	0.66	0.8
Medium	loam	0.16	0.96	0.4
	silty loam	0.2	1.2	0.25
	silt	0.2	1.2	0.3
Moderately Fine	sandy clay loam	0.15	0.9	0.1
	clay loam	0.16	0.96	0.07
	silty clay loam	0.18	1.08	0.05
Fine	sandy clay	0.12	0.72	0.08
	silty clay	0.14	0.84	0.05
	clay	0.15	0.9	0.05

*Irrigation Association Landscape Irrigation Auditor Manual page 177


**assume 50% dry down (managed allowable depletion) and 12 inch wetted depth

Run-time

	Soil Texture	Plant Avail Water (cm/cm)*	Irrig to Wet to Depth (in)**	Infiltration Rate (in/hr)
Medium	silty loam	0.2	1.2	0.25

- Calculating Run-time

- Lower Boundary (LB)

- PR = 1.35 in/hr
 - Irrigation to wet to depth = 1.2"
- 

Run-time

- Calculating Run-time with DU
 - Upper Boundary (UB)
 - Scheduling multiplier (SM)
 - $DU = 0.65$
 - Lower boundary (LB) = 53 min.

Developing An Irrigation Schedule

- Things you know
 - Distribution uniformity
 - Precipitation rate
 - Soil texture

Developing An Irrigation Schedule

- Things you know
 - Distribution uniformity = 0.65
 - Precipitation rate = 1.35 in/hr
 - Soil texture = silty loam
 - Lower boundary = 53 min
 - Upper boundary = 67 min
- This is **how much** to water
- Now we need to know **when** to irrigate


Developing An Irrigation Schedule

- Things you need to know
 - Distribution uniformity
 - Precipitation rate
 - Soil texture
 - Landscape and plant coefficients (K_L)

Landscape Coefficients

Information on plant water use WUCOLS

www.ucanr/sites/WUCOLS



The screenshot shows the homepage of the WUCOLS IV website. At the top, there is a navigation bar with links for SHARE, EMAIL, PRINT, and SITE MAP, along with a search box labeled 'Enter Search Terms'. Below this is a large header with the title 'WUCOLS IV' in white on a dark blue background, and the subtitle 'Water Use Classification of Landscape Species' in white on a dark red background. On the left side, there is a vertical menu with links to Home Page, User Manual, Plant Search Instructions, Plant Search Database, Download WUCOLS IV Plant List, Download WUCOLS IV User Manual, Water Requirements for Turfgrasses, Partners, and Acknowledgements. The main content area is titled 'Home Page' and features a 'GETTING STARTED' section with a blue background. This section contains text explaining the importance of reading the User Manual and provides instructions on how to access it. Below this, there is a paragraph about water conservation in landscape design, followed by a photograph of a garden with purple flowers and green foliage. A caption below the photo states: 'WUCOLS IV provides an assessment of irrigation water needs for over 3,500 taxa. Photo by Ellen Zagory.' Further down, there is a section titled 'Project Background' which describes the project's history and funding. The final section is titled 'Current Update: The 4th Edition' and mentions that the 4th edition represents a substantial expansion in the number of plant evaluations, with over 1,500 taxa included.

Developing An Irrigation Schedule

- Things you need to know
 - Distribution uniformity
 - Precipitation rate
 - Soil texture
 - Landscape and plant coefficients (K_L)
 - Climate (ET_0)



CIMIS

California
Irrigation
Management
Information
System

Collects weather info
Estimates plant water use
More than 120 stations

Water use reports are used with a crop or landscape coefficient to estimate site water use

<http://wwwcimis.water.ca.gov/cimis/>

Climate

- Water use models

Based on weather data

Requires previous research

Crop specific

Easy to use

Climate

- Water use models

Reference ET (ET_0) is reported (CIMIS)

Crop coefficient (K_c) is necessary

Determine ET_{crop} (ET_c) to estimate crop water use

$$\text{so, } ET_c = ET_0 \times K_c$$


Example: citrus orchard

$$K_c = 0.65$$

If $ET_0 = 0.5''$, then

crop water use is $0.325''$

$$(0.325 = 0.5 \times 0.65)$$



Reference EvapoTranspiration (ETo) Zones

- 1 COASTAL PLAINS HEAVY FOG BELT
Lowest ETo in California. Characterized by dense fog
- 2 COASTAL MILD FOG AREA
Less fog and higher ETo than zone 1
- 3 COASTAL VALLEYS AND PLAINS AND NORTH COAST MOUNTAINS
More sunlight than zone 2
- 4 NORTH CENTRAL PLATEAU & CENTRAL COAST RANGE
Cool, high elevation areas with strong summer sunlight. This zone has limited climate data and the zones selection is somewhat subjective
- 5 CENTRAL SIERRA NEVADA
Sierra Nevada Mountain valleys east of Sacramento with some influence from the delta breeze in summer
- 6 EAST SIDE SACRAMENTO-SAN JOAQUIN VALLEY
Low winter and high summer ETo with slightly lower ETo than zone 12
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18


Monthly Average Reference Evapotranspiration by ETo Zone (inches/month)

Zone	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
1	0.93	1.40	2.48	3.30	4.03	4.50	4.65	4.03	3.30	2.48	1.20	0.62	32.9
2	1.24	1.68	3.10	3.90	4.65	5.10	4.96	4.65	3.90	2.79	1.80	1.24	39.0
3	1.86	2.24	3.72	4.80	5.27	5.70	5.58	5.27	4.20	3.41	2.40	1.86	46.3
4	1.86	2.24	3.41	4.50	5.27	5.70	5.89	5.58	4.50	3.41	2.40	1.86	46.6
5	0.93	1.68	2.79	4.20	5.58	6.30	6.51	5.89	4.50	3.10	1.50	0.93	43.9
6	1.86	2.24	3.41	4.80	5.58	6.30	6.51	6.20	4.80	3.72	2.40	1.86	49.7
7	0.62	1.40	2.48	3.90	5.27	6.30	7.44	6.51	4.80	2.79	1.20	0.62	43.3
8	1.24	1.68	3.41	4.80	6.20	6.90	7.44	6.51	5.10	3.41	1.80	0.93	49.4
9	2.17	2.80	4.03	5.10	5.89	6.60	7.44	6.82	5.70	4.03	2.70	1.86	55.1
10	0.93	1.68	3.10	4.50	5.89	7.20	8.06	7.13	5.10	3.10	1.50	0.93	49.1
11	1.55	2.24	3.10	4.50	5.89	7.20	8.06	7.44	5.70	3.72	2.10	1.55	53.1
12	1.24	1.96	3.41	5.10	6.82	7.80	8.06	7.13	5.40	3.72	1.80	0.93	53.4
13	1.24	1.96	3.10	4.80	6.51	7.80	8.99	7.75	5.70	3.72	1.80	0.93	54.3
14	1.55	2.24	3.72	5.10	6.82	7.80	8.68	7.75	5.70	4.03	2.10	1.55	57.0
15	1.24	2.24	3.72	5.70	7.44	8.10	8.68	7.75	5.70	4.03	2.10	1.24	57.9
16	1.55	2.52	4.03	5.70	7.75	8.70	9.30	8.37	6.30	4.34	2.40	1.55	62.5
17	1.86	2.80	4.65	6.00	8.06	9.00	9.92	8.68	6.60	4.34	2.70	1.86	66.5
18	2.48	3.36	5.27	6.90	8.68	9.60	9.61	8.68	6.90	4.96	3.00	2.17	71.6

ETo Zones

Variability between stations within single zones is as high as 0.02 inches per day for zone 1 and during winter months in zone 13. The average standard deviation of the ETo between estimation sites within a zone for all months is about 0.01 inches per day for all 200 sites.

California
REFERENCE EVAPOTRANSPIRATION



Lambert Conformal Conic Projection

Prepared by a contractor under contract to the State Water Resources Control Board

Map Prepared by David M. Green, 2008

Data developed by Thomas G. Sayers, Senior Estimator, State Water Resources Control Board
Background Data from Teale and USGS Sources

Developing An Irrigation Schedule

- So,
 - We know how much to apply (1.2 in)
 - Replaces $\frac{1}{2}$ of field capacity
- Then,
 - We need to estimate when that amount of water is used
 - We know our plants
 - We have info about the climate

Developing An Irrigation Schedule

- Landscape and plant coefficients (K_L)
 - For this example, 0.4
- Climate (Water Use Rates)

Monthly Average Reference Evapotranspiration by ETo Zone (inches/month)

Zone	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
14	1.55	2.24	3.72	5.10	6.82	7.80	8.68	7.75	5.70	4.03	2.10	1.55	57.0

October = 4.03 in/month

– $ET_{\text{day}} = 4.03 \text{ in} \div 31 \text{ days} = 0.13 \text{ in/day}$

Developing An Irrigation Schedule

- How fast is our landscape using water?
 - $ET_L = ET_{\text{day}} \times K_L$
 - $ET_{\text{day}} = 0.13 \text{ in/day}$
 - $K_L = 0.4$

$$ET_L = 0.13 \times 0.4 = 0.07 \text{ in/day}$$

Developing An Irrigation Schedule

$$\begin{aligned} ET_0 &= 0.13 \\ \times K_L &= 0.4 \\ = ET_L &= \mathbf{0.07} \\ \text{Irrig} &= 1.2 \end{aligned}$$

October

Day	Total ET_L
1	0.07
2	0.14
3	0.21
4	0.28
5	0.35
6	0.42
7	0.49
8	0.56
9	0.63
10	0.70

Developing An Irrigation Schedule

October

$$\begin{aligned} ET_0 &= 0.13 \\ \times K_L &= 0.4 \\ = ET_L &= \mathbf{0.07} \\ Irrig &= 1.2 \end{aligned}$$

Day	Total ET _L	Day	Total ET _L
1	0.07	11	0.77
2	0.14	12	0.84
3	0.21	13	0.91
4	0.28	14	0.98
5	0.35	15	1.05
6	0.42	16	1.12
7	0.49	17	1.19
8	0.56	18	1.26
9	0.63	19	0.32
10	0.70	20	0.40

$$\begin{aligned} &1.19 \\ &+ 0.07 \text{ (ET}_L\text{)} \\ \hline &= 1.26 \end{aligned}$$



Developing An Irrigation Schedule

October

$$\begin{aligned}
 ET_0 &= 0.13 \\
 \times K_L &= 0.4 \\
 = ET_L &= \mathbf{0.07} \\
 Irrig &= 1.2
 \end{aligned}$$

Day	Total ET_L	Day	Total ET_L
1	0.07	11	0.77
2	0.14	12	0.84
3	0.21	13	0.91
4	0.28	14	0.98
5	0.35	15	1.05
6	0.42	16	1.12
7	0.49	17	1.19
8	0.56	18	0.06
9	0.63	19	0.13
10	0.70	20	0.20

$$\begin{aligned}
 &1.19 \\
 &+ 0.07 \text{ (} ET_L \text{)} \\
 &\hline
 &= 1.26 \\
 &- 1.20 \text{ (Irrig)} \\
 &\hline
 &= 0.06
 \end{aligned}$$



Developing An Irrigation Schedule

October

$$\begin{aligned} ET_0 &= 0.13 \\ \times K_L &= 0.4 \\ = ET_L &= \mathbf{0.07} \\ Irrig &= 1.2 \end{aligned}$$

Day	Total ET _L	Day	Total ET _L	Day	Total ET _L
1	0.07	11	0.77	21	0.27
2	0.14	12	0.84	22	0.34
3	0.21	13	0.91	23	0.41
4	0.28	14	0.98	24	0.48
5	0.35	15	1.05	25	0.55
6	0.42	16	1.12	26	0.62
7	0.49	17	1.19	27	0.69
8	0.56	18	0.06	28	0.76
9	0.63	19	0.13	29	0.83
10	0.70	20	0.20	30	0.90

Developing An Irrigation Schedule

October

Day	Total ET_L
1	0.07
2	0.14
3	0.21
4	0.28
5	0.35
6	0.42
7	0.49
8	0.56
9	0.63
10	0.70

$$ET_0 = 0.13$$

$$\times K_L = 0.4$$

$$= ET_L = 0.07$$

$$\text{Irrig} = 1.2$$

- For more accuracy
 - Use actual instead of historical data
 - Obtain daily ET_0 from CIMIS
 - Calculate & accumulate actual ET_L

Developing An Irrigation Schedule

- Determine when to irrigate
 - Irrigation application = 1.2 in
 - $ET_L = 0.07$ in/day
- Method 1
 - Accumulate ET_L daily
 - When accumulated total reaches 1.2 in
 - Irrigate!
- Method 2
 - $1.2 \text{ in} \div 0.07 \text{ in/day} = 17.1 \text{ days}$
 - Irrigate every 17 days

Developing An Irrigation Schedule

- Method 3
 - ccuh.ucdavis.edu
“irrigation scheduling worksheet”
 - Conduct catch can test
 - Enter catch can volumes and other information
 - Depth to wet, designated days
 - Calculates:
 - DU, PR
 - Run time (duration and cycles)
 - Annual irrigation calendar

Topics

- Why plants need water
- Irrigation management
 - Assessing system performance
 - Scheduling
 - **Smart controllers**

Smart Controllers

- What they do
 - “automatically” adjust irrigation to “plant water needs”
 - Information needed: See previous sections irrigation scheduling
 - Irrigation system specifics
 - Plant mix
 - Slope
 - Weather

Smart Controllers

- How they adjust
 - Not all controllers are “good”
- Programs are adjusted in two ways:
 1. Modify run times, fixed schedule
 2. Modify schedule, fixed run times

Topics

- Why plants need water
- Irrigation management
 - Assessing system performance
 - Scheduling
 - Smart controllers
- **Maintaining plants**
 - **Turf**
 - **Trees and shrubs**
 - **Edibles**

Turf



Turf



Trees

What's the problem?

- Planted in or adjacent to turf
- Improper tree selection
- Poor irrigation management
- Shallow roots



A Common Sight in 2014



Recognize water stress

- Incipient
 - Color change to bluish or grayish green
- Temporary
 - Flagging, wilting
- Permanent wilting
 - Desiccation, drying
 - Nonrecoverable




Secondary effects

- Susceptibility to:
 - Insects
 - e.g., Borers
 - ambrosia beetles
 - longhorned eucalyptus borers
 - Diseases
 - e.g., Root rots
 - *Phytophthora* and Oak root fungus
 - *Armillaria*




Tree roots

- Relationship to canopy
- May be deep
 - Depends on soil and irrigation history




Where to Irrigate

- Deep to 2 -3 feet
- Beneath the canopy
 - Beyond the drip line
 - Not at trunk
- Every 2-4 weeks or so



Mature Ginkgo Tree

Considered Deep Rooted





Tree Ring Irrigation Contraption

Loren Oki and Dave Fujino

- Input info for 1' spacing:
 - Canopy radius, soil type, no. of 100' drip lengths
- Calculates irrig. run time to wet soil to 36" deep
- <http://ccuh.ucdavis.edu/>
 - Search: CCUH TRIC
- ~\$100 for parts




Rotary System Irrigation Contraption

Loren Oki and Dave Fujino




- Low cost ~\$20
- Runtime depends on soil type
- <http://ccuh.ucdavis.edu/>
- Search: CCUH RSIC



Tree roots

- Recently planted trees
 - Roots are mostly within the container soil ball
 - Roots may be just entering the native soil
 - Will take several years to fully establish



Topics

- Why plants need water
- Irrigation management
 - Assessing system performance
 - Scheduling
 - Smart controllers
- Maintaining plants
 - Turf
 - Trees and shrubs
 - **Edibles**

Edibles


- Use the same principles as for landscapes
 - Be aware that “production” is usually associated with higher water use
 - To maximize production, minimize water stress
 - Maintain soil moisture to avoid water stress
 - Productivity is related to photosynthesis
 - Photosynthesis is dependent on CO₂
 - CO₂ enters through stomates
 - Stomates close with water stress

Topics

- Why plants need water
- Irrigation management
 - Assessing system performance
 - Scheduling
 - Smart controllers
- Maintaining plants
 - Turf
 - Trees and shrubs
 - Edibles
- **Fire Safe**

Fire Safe

- ucanr.edu/sites/SAFElandscapes
- CalFire (fire.ca.gov)
- readyforwildfire.org



Topics

- Why plants need water
- Irrigation management
 - Assessing system performance
 - Scheduling
 - Smart controllers
- Maintaining plants
 - Turf
 - Trees and shrubs
 - Edibles
- Fire Safe



Thank you
lroki@ucdavis.edu