



**Dr. Melissa O'Neal**

Manager of Western US Field Development and  
Technical Services

805-234-5723 / [moneal@marronebio.com](mailto:moneal@marronebio.com)

# Safe Harbor Statement



This presentation may include forward-looking statements. These statements reflect the current views of the Company's senior management with respect to future events and financial performance. These statements include forward-looking statements with respect to the Company's business and industry in general, including statements regarding potential market size of Company products, anticipated product development costs, target geographic markets, and future goals. Statements that include the words "expect," "intend," "plan," "believe," "project," "forecast," "estimate," "may," "should," "anticipate", "target", "goals" and similar statements of a future or forward-looking nature identify forward-looking statements for purposes of the federal securities laws or otherwise. Forward-looking statements address matters that involve risks and uncertainties, such as the timing of and costs associated with the launch of products, the difficulty in predicting the timing or outcome of product research and development efforts and regulatory approvals. Accordingly, there are or will be important factors that could cause the Company's actual results to differ materially from those indicated in these statements. The statements made herein speak only as of the date of this presentation.



# OVERVIEW


- Biopesticides in General
- MBI Company Mission & History
- MBI Portfolio Offerings
- MBI Product Briefings
- Stargus & Ennoble
  - Product Information
  - Datasets



# Biopesticides & Sustainable Agriculture



## MBI Meets Demand



# Biopesticides Meet the Challenges of Sustainable Agriculture



Biopesticides are solutions for sustainable & eco-friendly IPM & crop production programs, often enhancing yield & quality:

- Alternatives to neonicotinoids, OPs, pyrethroids
- Low risk to pollinators & other beneficials
- Can reduce resistance risk & enhance programs with single site chemicals where resistance to strobilurins, DMIs, diamides, & other chemical products exists
- Make organic programs more durable, lowering resistance risk due to overuse
- Potentially replace toxic fumigants




- Many existing IPM programs are outdated & do not reflect biopesticide products & modes of action available to today's growers
- Trials should be conducted as integrated programs rather than just stand alone to better reflect grower practices
- More work should be conducted integrating different classes of biopesticides & integrating biopesticides with synthetic chemicals

# About the Company

**Marrone Bio Innovations, Inc.** strives to lead the movement to a more sustainable world through the discovery, development, & promotion of biological products for pest management & plant health.

---



Effective & environmentally responsible solutions help customers operate more sustainably.



# Company Highlights



- *Incorporated June 2006*
- *7 commercially available MBI actives*
- *1 awaiting approval; 3 EPA registered*
- *~100 employees, 1/3 in R&D*
- *Library of 18,000+ proprietary microorganisms screened against multiple targets*
- *Wholly-owned fermentation facility in Bangor, MI*
- *Commercial sales in N. America, LATAM, Africa & Mideast*
- *Listed on NASDAQ as MBII in 2013*





# MBI and Biopesticides



Marrone Bio Innovations has been at the forefront of finding and developing new crop protection solutions since 2006. We target solutions for every problem on the acre with both our current product portfolio and products in development.



Boost yield and quality



Manage resistance



Harvest flexibility



Worker-friendly

# Product Portfolio



**MRL  
Exempt**



**0-Day  
PHI**



**Minimal  
PPE**



**4-Hour  
REI**


# Family of OMRI Products





 **REGALIA**<sup>®</sup>  
BIOFUNGICIDE

# Multiple novel modes of action, collectively referred to as Induced Systemic Resistance (ISR)



1

## Inhibits pathogen growth

ISR triggers the creation of several antimicrobial compounds, phenolics, phytoalexins, & PR proteins that enable treated plants to inhibit & restrain pathogen growth

2

## Strengthens cell walls

ISR signals the plant to accumulate more lignin, which thickens & strengthens cell walls. This added strength helps protect against penetration by pathogens & lends structural integrity to the plant

3

## Promotes plant growth

In addition to disease control, Regalia also enhances plant health by stimulating production of phytohormones & chlorophyll

GROUP P5 FUNGICIDE



 **VENERATE**<sup>®</sup>  
BIOINSECTICIDE **XC**

# Venerate<sup>®</sup> Bioinsecticide



- Liquid formulation containing 94.46% heat-killed *Burkholderia rinojensis* (strain A396) cells & spent fermentation media
- Targets: certain sucking & chewing insects & mites
- Also useful against certain soil pests
- 1-4 qt/Ac foliar, 2-4 qt/Ac in soil applications



# VENERATE® XC Features Multiple Modes of Action



**VENERATE**<sup>®</sup>  
BIOINSECTICIDE XC



1

## Exoskeleton Degradation

*Active against adults & nymphs*

2

## Molting Interference

*Exposed nymphs & immatures are unable to molt*

3

## Ingestion

*Insects & mites are subject to control via ingestion*






 **GRANDEVO**<sup>®</sup>  
BIOINSECTICIDE WDG

# Grandevo Bioinsecticide

- Water dispersible granule containing 30% dead *Chromobacterium subtsugae* (strain PRAA4-1<sup>T</sup>) cells & spent fermentation media
- 1-3 lbs./acre use rate



# GRANDEVO<sup>®</sup> WDG - General Overview



## Naturally derived from *Chromobacterium subtsugae*

- Activity stems from the combination of multiple compounds produced by the bacteria
- Contains dead bacteria plus associated compounds produced in the cells
- Activity includes repellency, reduced fecundity, reduced egg hatch, & death via ingestion



## Selective, broad spectrum protection


- Sucking & chewing insects
- Flies
- Mites



## Easy on pollinators and beneficials

No effect on pollination & fruit set

# Complex modes of action via multiple compounds



**GRANDEVO**<sup>®</sup>  
BIOINSECTICIDE WDG



1

Agitation/repellency

2

Gut disruption

3

Reduces egg laying, egg hatching, & fecundity

4

Stops feeding in seconds

# Mode of Action – Gut Disruption & Stops Feeding



Dr. Henry Fadamiro, Auburn University  
Yellowmargined leaf beetle stops feeding, leaks  
bodily fluids dies



Leaf-feeding Lepidoptera & select Chrysomelidae



# **HAVEN**<sup>®</sup> Sun Protectant SUN PROTECTANT



- Increases yield & quality of fruit, nut, & vegetable crops
- Contains 10% stearyl alcohol derived from coconut extract
- Rate: 0.6% v/v = roughly 5 pints
- Apply at full bloom to fruit/nut set
- Applications leave no visible residue/deposit

## Target Crops

- Tree nuts
  - Grapes
  - Fruiting vegetables (pepper/tomato)
  - Berries
- Pome fruit  
Citrus  
Cucurbits



**VS**



Does not leave visible deposit or residue on the crop



 **STARGUS**<sup>®</sup>  
BIOFUNGICIDE

*Bacillus amyloliquefaciens strain F727*


California registration pending



# STARGUS<sup>®</sup> Bio-fungicide. What is it?



- Liquid fungicide used at 1-4 qt/Acre
- Active ingredient: unique isolate of *Bacillus amyloliquefaciens* (strain F727)
- Broad spectrum biofungicide containing peptides produced during fermentation
- SAR activity & root colonization
- OMRI listed
- FRAC code pending



# STARGUS® -Primary Labeled Crops & Diseases\*




- **Bushberries & cranberries:** *Botrytis, Phomopsis*
- **Bulb vegetables:** *Botrytis, Peronospora*
- **Brassica leafy vegetables:** *Peronospora*
- **Cucurbits:** *Peronospora, Phytophthora*
- **Fruiting vegetables:** *Xanthomonas, Phytophthora*
- **Grapes:** *Botrytis, Peronospora, Guignardia*
- **Leafy vegetables:** *Sclerotinia spp., Peronospora*
- **Legumes:** *Sclerotinia spp., Peronospora, Xanthomonas*
- **Oilseed crops:** *Sclerotinia spp., Xanthomonas*
- **Root & tuber vegetables:** *Sclerotinia spp., Phytophthora, Botrytis, Xanthomonas*
- **Strawberry:** *Botrytis*
  
- *\*California registration is pending*

# Stargus<sup>®</sup> on *Sclerotinia sclerotiorum* in Lettuce




Dr. Matheron, University of Arizona, Yuma, AZ.

TREATMENT TIMINGS							
A	C	D	E	G	F	H	I
15-Nov	16-Dec	23-Dec	12-Jan	23-Jan	19-Jan	3-Feb	13-Feb




# Stargus<sup>®</sup> on Downy Mildew in Lettuce

Crop Science Services, Aromas, CA.



# Stargus® Against *Botrytis* on Grape

W.D. Gubler, UC Davis



Stargus great in a rotational program, early or late in the rotation

Treatment	Timing	Date
A	Full Bloom	17-Apr
E	Pre-Closure	7-Jun
L	Veraison	10-Jul
N	Ripening	24-Jul


Stargus 2 qt/ac. A  
 Switch 14 oz/ac. E  
 Luna Experience 8.6 fl oz/ac. L  
 Switch 14 oz/ac. A  
 Luna Experience 2 qt/ac. E  
 Luna Experience 8.6 fl oz/ac. L  
 Luna Experience 18 fl oz/ac. A  
 Flint 3.8 oz/ac. E  
 Serenade Opti 16 oz/ac. L

# Stargus<sup>®</sup> Against *Botrytis* on Grape



UCD, W.D. Gubler. Napa, CA.

Treatment	Timing	Date
A	Full Bloom	17-Apr
E	Pre-Closure	7-Jun
L	Veraison	10-Jul
N	Ripening	24-Jul



Elevate<sup>®</sup> is a registered trademark of Arysta LifeScience. Serenade Optimum<sup>®</sup> is a registered trademark of Bayer CropScience. Howler<sup>®</sup> is a registered trademark of AgBiome.



 **ENNOBLE™**  
BIOFUMIGANT

# ENNOBLE™

## Biofumigant

### What is it?

- Granular biological soil treatment for control of nematodes & soil-borne diseases
- Active ingredient: *Muscodor albus* (strain SA 13)
- Broad-spectrum; active by releasing volatiles into soil rhizosphere
- OMRI listed
- FRAC code pending
- No affect on non-pathogenic soil microorganisms

# ENNOBLE™

## Primary Labeled\* Crops & Diseases




- **Strawberries:** *Macrophomina*
- **Leafy vegetables:** *Fusarium*, *Sclerotinia* spp., *Verticillium*
- \*California registration is pending
- Apply 5-7 days pre-plant




# ENNOBLE™ on *Macrophomina* / *Verticillium* in Strawberry

Pacific Ag Research, San Luis Obispo, CA.



# ENNOBLE™ on *Rhizoctonia*, *Cylindrocarpon*, & *Pythium* in Strawberry


Plant Sciences, Inc., Watsonville, CA.



TREATMENT TIMINGS	
A	B
9-Oct	24-Oct


# ENNOBLE™ & STARGUS® on *Sclerotinia minor* in Lettuce

Research Designed for Agriculture, Yuma, AZ



# ENNOBLE™ on *Sclerotinia sclerotiorum* in Lettuce

Dr. Matheron, University of Arizona, Yuma, AZ.




# ENNOBLE™ on *Sclerotinia sclerotiorum* in Lettuce

Research Designed for Agriculture, Yuma, AZ



TREATMENT TIMINGS	
A	B
14-Nov	22-Nov




# ENNOBLE™ on *Verticillium* in Lettuce

Pacific Ag Research, Salinas, CA.



TREATMENT TIMINGS		
A	C	E
6-Jul	14-Jul	26-Jul




# ENNOBLE™ & STARGUS® on *Verticillium* in Lettuce

Pacific Ag Research, Salinas, CA.




TREATMENT TIMINGS				
A	C	E	G	I
6-Jul	14-Jul	26-Jul	9-Aug	23-Aug




# ENNOBLE™ & STARGUS® on *Fusarium* in Lettuce

Pacific Ag Research, Salinas, CA.





TREATMENT TIMINGS				
A	C	E	G	I
6-Jul	14-Jul	26-Jul	9-Aug	23-Aug






# ENNOBLE™ & STARGUS® on *Botrytis* in Lettuce

Pacific Ag Research, Salinas, CA.



# ENNOBLE™ & STARGUS® on *Fusarium* in Celery

Holden Research, Camarillo, CA.





Thank you!

[moneal@marronebio.com](mailto:moneal@marronebio.com)