## When to Plant What in Inland Humboldt

Sow seeds during the shaded times. When transplanting seedlings, shift dates three weeks right.

Dates will vary between microclimates. Higher elevation gardens will have a shorter growing season.

Dates will vary between microcli			1 1										_				ason.		
		Feb.		March		April		May		June		July		Aug.		pt.	O	ct.	
Crop	early	late	early	late	early	late	early	late	early	late	early	late	early	late	early	late	early	late	
Carrots (ds,ss6); Parsley (tsp); Parsnips (ds)																			
Lettuce (tsp or ds,ss2); Spinach (ds,ss2); Cilantro (ds,ss2); Dill (ds,ss3)	GH	GH																GH	
Summer Squash (tsp or ds,F); Zucchini (tsp or ds,F); Cucumbers (tsp or ds,F)																			
Broccoli (tsp,ss3); Cabbage (tsp,ss4); Cauli (tsp,ss2); Kale (tsp); Chard (tsp); Beets (ds,ss6)																			
Bok Choy (tsp,ss2); Chinese Cabbage (tsp,ss2)																			
Radishes (ds,ss1); Asian greens (ds,ss2); Arugula (ds,ss2)																			
Pumpkins (ds,F); Winter squash (ds,F)																			
Peas (ds,ss3)																GH	GH	GH	
Dry Beans (ds,F)																			
Snap Beans (ds,ss3,F)																			
Winter Cover Crops (ds)																			
Onions (tsp)																			
Garlic (ds)																			
Leeks (tsp); Green Onions (ds,ss4)																			
Wheat (ds); Oats (ds); Rye (ds)																			
Grain Corn (ds,F); Sweet Corn (ds,ss1,F), Melons (ds,ss2,F)																			
Potatoes (ds)																			
Tomatoes (tsp,F); Peppers (tsp,F); Eggplant (tsp,F); Tomatillos (tsp,F), Basil (tsp, F)	GH	GH																	

**Key: ds** - direct seed. These crops are sown by placing the seed directly in the soil **tsp** - transplant. These crops are sown in pots or flats, then transplanted to the garden when they have two true leaves. **ss** - succesion. To attain a continuous harvest from these crops during their growing season, you must plant them at regular intervals. The number next to the (ss) refers to the approximate weeks between sowings (i.e. ss2 means sow every two weeks). **H** - hot. These plants are marginal growers here on the coast. For reliable harvests, plant in a greenhouse. **F** - frost. These plants are killed by frosts. When and if your garden recieves frosts is highly variable. The generalized frost period for HumCo is before May 15th and after Oct 15th. Frost sensitive plants planted outside during the frost period should be protected by floating row covers. **GH** - greenhouse. Use these dates only if the crop is growing in a greenhouse or coldframe.

Misc.: Strawberries (Perennial) – May be planted in mid fall or early spring (Mar, Apr). Will produce strongly for 2-3 years, propogate from runners to new patch. Plant ever-bearing varieties (i.e. Albion, Seascape) for an extended harvest period. Protect blooming plants from frost. Trees, Berries, and other woody perennials should be planted while dormant (Dec-Feb). Flowers & Herbs – Cultivation varies widely, see seed packet or other literature. Rule of thumb: sow annuals like lettuce, early in the season. Sow herbaceous perennials in spring or early summer. Brussel Sprouts take a long time to grow. Sow them in early July. Celery should be sown in flats no later than the end of June.